Кому: Комитету внутреннего государственного аудита
Министерства Финансов РК

От: Директора ТОО «Millennium LLP»
Үсен Шыңғыс Сұлтанұлы

г. Кызылорда 26 июля 2018 г.

ДОПОЛНЕНИЕ К ЖАЛОБЕ от 25.07.2018.

Государственным учреждением ДВД Костанайской области была проведена закупка № объявления 2658304-1, № лота 16096979-ОК1 путем открытого конкурса по средством портала электронных государственных закупок на приобретение «Устройство считывающее» на сумму 22 152 000 тг.

Указанная в разделе Технической спецификаций, Наименование товара (с указанием марки, модели, типа и\или товарного знака либо знака обслуживания и т.д.), потенциального поставщика ТОО «Тасымал груп», отсутствует модель считывающего устройства Hamster Pro. Моделью Биометрического считывателя отпечатков пальцев Secugen Hamster Pro является HUPx. Как указанно на официальном сайте www.Secugen.com.

Так же в модельной линейке биометрических считывателей отпечатков пальцев Hamster pro имеются различные устройства с разными техническими характеристиками(см. приложение, HUPx на рисунке 1, HU20 на рисунке 2, HU10 на рисунке 3, XU20SCI на рисунке 4, XU20CLE на рисунке 5) таким образом предоставленные сведения потенциального поставщика ТОО Тасымал Груп противоречит пп.2 п.16 раздела 3 настоящей конкурсной документаций. Каждая модель биометрических считывателей имеет различия по размеру изображения, по размеру сэнсора, и габаритам. На рисунках 4-5 изображены технические характеристики для биометрических смарт карт ридеров.

Так же Указанная в технической спецификаций, потенциальным поставщиком ТОО «Тасымал груп» далее-потенциальный поставщик, страна происхождения товара «Соединенные Штаты Америки» не является достоверной. Вся продукция корпораций Secugen производится в Республике Корея (см приложение, рисунок 6).

Таким образом Потенциальным поставщиком была предоставлена недостоверная информация. Однако потенциальный поставщик был допущен Конкурсной комиссией с нарушением. На основании пп.2 пункта 150 абзац 7 № 648 Приказа Министра финансов Республики Казахстан от 11 декабря 2015 года заявка на участие в конкурсе конкурсной комиссией должна быть отклонена.

На оснований вышеизложенного.

ПРОШУ:

1.Прошу признать протокол итогов №2377983 недействительным.

2.В связи с нарушением требовании к оформлению технической спецификаций прошу принять меры по пересмотру протокола итогов.

Прилагается:

1.Приложение с рисунками

Директор ТОО «Millennium LLP» **Үсен Шыңғыс Сұлтанұлы**

Приложение к дополнению к жалобе от 26.07.2018 г.

Technical Specifications

Product	Hamster Pro
Model	HUPx
Fingerprint Sensor	SecuGen UPx
Image Resolution	500 DPI
Image Size	260 x 300 pixels
Platen Size	18.2 mm x 22.9 mm
Sensing Area	13.2 mm x 15.2 mm
Image Gray Scale	256 levels (8-bit)
Light Source	LED
Smart Capture Speed	0.2 ~ 0.5 seconds
Biometric Standards	INCITS 378, ISO/IEC 19794-2, ISO/IEC 19794-4
Dimensions	53.9 mm x 58.5 mm x 31.6 mm
Weight	98 g
Cable Length	1500 mm
Operating Temperature	-20° ~ 65°C
Operating Humidity	90% or less RH, noncondensing
Interface	USB 1.1 Full-Speed, USB 2.0 Hi-Speed
Supply Voltage	5V (via USB)
Current Consumption	120 mA (max.)
Compliance	FCC, CE, KCC, RoHS
Dust/Water Resistance	No
Other Features	Auto-On™, Smart Capture™
Warranty	One year limited
Supported Operating Systems	Windows 10 / 8.1 / 8 / 7, Windows Server 2012, 2008 R2, Android 3.1 and above, Java, Linux

Рисунок 1 – Техническая характеристика модели HUPx [взято из www.secugen.com]

Technical Specifications

Product	Hamster Pro 20
Model	HU20
Fingerprint Sensor	SecuGen U20
Image Resolution	500 DPI
Image Size	300 x 400 pixels
Platen Size	18.2 mm x 22.9 mm
Sensing Area	15.2 mm x 20.3 mm
Image Gray Scale	256 levels (8-bit)
Light Source	LED
Smart Capture Speed	0.2 ~ 0.5 seconds
Biometric Standards	INCITS 378, ISO/IEC 19794-2, ISO/IEC 19794-4
Dimensions	53.9 mm x 58.5 mm x 31.6 mm
Weight	98 g
Cable Length	1500 mm
Operating Temperature	-20° ~ 65°C
Operating Humidity	90% or less RH, noncondensing
Interface	USB 1.1 Full-Speed, USB 2.0 Hi-Speed
Supply Voltage	5V (via USB)
Current Consumption	150 mA (max.)
Compliance	FCC, CE, KCC, RoHS, FIPS 201, FBI (PIV, Mobile ID FAP 20), STQC
Dust/Water Resistance	IP65 Certified
Other Features	Auto-On™, Smart Capture™, Fake Finger Rejection
Warranty	One year limited
Supported Operating Systems	Windows 10 / 8.1 / 8 / 7, Windows Server 2012, 2008 R2, Android 3.1 and above, Java, Linux

Рисунок 2 – Техническая характеристика модели HU20 [взято из www.secugen.com]

Technical Specifications

Product	Hamster Pro 10
Model	HU10
Fingerprint Sensor	SecuGen U10
Image Resolution	500 DPI
Image Size	252 x 330 pixels
Platen Size	15.2 mm x 20.2 mm
Sensing Area	12.8 mm x 16.8 mm
Image Gray Scale	256 levels (8-bit)
Light Source	LED
Smart Capture Speed	0.2 ~ 0.5 seconds
Biometric Standards	INCITS 378, ISO/IEC 19794-2, ISO/IEC 19794-4
Dimensions	54 mm x 43 mm x 21 mm
Weight	79 g
Cable Length	1500 mm
Operating Temperature	-20° ~ 65°C
Operating Humidity	90% or less RH, noncondensing
Interface	USB 1.1 Full-Speed, USB 2.0 Hi-Speed
Supply Voltage	5V (via USB)
Current Consumption	100 mA (max.)
Compliance	FCC, CE, KCC, RoHS, FIPS 201, FBI (PIV, Mobile ID FAP 10)
Dust/Water Resistance	IP54
Other Features	Auto-On™, Smart Capture™
Warranty	One year limited
Supported Operating Systems	Windows 10 / 8.1 / 8 / 7, Windows Server 2012, 2008 R2, Android 3.1 and above, Java, Linux

Рисунок 3 – Техническая характеристика модели HU10 [взято из www.secugen.com]

Technical Specifications

Name (Model)	Hamster Pro Duo SC/PIV (XU20SCI™)
Dimensions / Weight	80.0 x 100.0 x 45.5 mm / 186 g
Interface	Hi-Speed USB 2.0 (fingerprint reader), USB 2.0 Full-Speed (card reader)
Operating Temperature	0° ~ 55°C
Operating Humidity	90% or less RH, noncondensing
Supply Voltage / Max. Current	5 V DC / 220 mA
Warranty	One year limited
Certifications	FCC, RoHS, FBI PIV, FIPS 201
Supported Operating Systems	Windows 10 / 8.1 / 8 / 7 Windows Server 2012, 2008 R2 Linux, Android 3.1 and above
Fingerprint Reader	
Model / Type	SecuGen U20™ optical fingerprint sensor
Fingerprint Image Resolution / Size	500 DPI / 300 x 400 pixels
Fingerprint Platen Size (Effective Sensing Area)	18.2 mm x 22.9 mm (15.24 mm x 20.32 mm)
Fingerprint Capture Speed	0.2 ~ 0.5 second with Smart Capture™
Supported Standards	FIPS 201 (PIV-071006), INCITS 378, ISO/IEC 19794-2, ISO/IEC 19794-4, Mobile ID FAP 20
Card Reader	
Model / Type	Identiv CLOUD 2100R contact reader
Specifications	Standards: ISO/IEC 7816, EMV, and PC/SC Protocols: T=0 and T=1 Cards: Class A, Class B, Class C CCID compliant Interface speed: 12 Mbps Max clock frequency: 4.8Mhz Max baud rate: 600Kbps @FI/DI-97
Features	Status LED Supports Remote Wake-up for card insertion/removal Short circuit protection on smart card section
Certifications	FCC Class B, CE, EMV 2008 Level 1, WHQL, UL 60950, USB IF, UL92, GSA, ANZ, RoHS, ICES-003 Issue 4, VCCI
Drivers (card reader)	(same as uTrust 2700R): https://support.identiv.com/2700r

Рисунок 4 – Техническая характеристика модели XU20SCI [взято из www.secugen.com]

Technical Specifications

Name (Model)	Hamster Pro Duo CL (XU20CL™)
Dimensions / Weight	160.0 x 77.5 x 37.7 mm / 250 g
Interface	Hi-Speed USB 2.0 (fingerprint reader), USB 2.0 Full-Speed (card reader)
Operating Temperature	0° ~ 50°C
Operating Humidity	90% or less RH, noncondensing
Supply Voltage / Max. Current	5 V DC / 450 mA
Warranty	One year limited
Certifications	FCC, CE, KCC, RoHS
Supported Operating Systems	Windows 10 / 8.1 / 8 / 7 Windows Server 2012, 2008 R2 Android 3.1 and above, Java, Linux
Fingerprint Reader	
Model / Type	SecuGen U20™ optical fingerprint sensor
Fingerprint Image Resolution / Size	500 DPI / 300 x 400 pixels
Fingerprint Platen Size (Effective Sensing Area)	18.2 mm x 22.9 mm (15.24 mm x 20.32 mm)
Fingerprint Capture Speed	0.2 ~ 0.5 second with Smart Capture™
Supported Standards	FIPS 201 (PIV-071006), INCITS 378, ISO/IEC 19794-2, ISO/IEC 19794-4, Mobile ID FAP 20
Card Reader	
Model / Type	ACR1251U-A1 contactless smart card reader
Operating Distance / Frequency	Up to 50 mm (depends on tag type) / 13.56 MHz
Read / Write Speed	Up to 424 kbps
Supported Smart Card Interface	ISO14443 Type A & B, Mifare (7-byte UID, Plus, DESFire), FeliCa, and 4 types of NFC (ISO/IEC18092) tags
Supported APIs	PC/SC, CT-API (through wrapper on top of PC/SC)
Built-in Peripherals	User-controllable bi-color LED, user-controllable buzzer, ISO 7816 compliant SAM slot
Compliance	ISO 18092, ISO 14443, ISO 7816, PC/SC, CCID, LASCOM, EN60950, VCCI, MIC, KC

Рисунок 5 – Техническая характеристика модели XU20CLE [взято из www.secugen.com]

Рисунок 6 – Фото шильдиков продукции Secugen с надписью MADE IN KOREA [взято в интернете]