Makes Wonderful Life!

www.lijiujia.com



ZHEJIANG LIJIUJIA SPORTS EQUIPMENT CO.,LTD

Add：No.88.Yuegui South Road,Xicheng Street,
YongKang,ZheJiang,China
Tel：0579-87278822
Fax：0579-87278080
E-mail：sales@ljjsports.com sales2@ljjsports.com
http://www.lijiujia.com

BSCI SGS EN957 RoHS CE ISO9001:2008

Company profile

Zhejiang Lijiujia Sports Equipment Co., Ltd., is an ISO9001:2008 certified manufacturer, engaged in producing treadmills in China since 2006. With over 10 years high-speed development, our products have been sold to over 50 countries & areas worldwide, and also 3 overseas branches are established.Our main products include:

Treadmill, exercise bike, stepper, AB rocket, total core etc.Our main customers include:

1. Some world famous big brand owners
2. Distributors, wholesalers
3. Retailers, on-line sellers
4. Company/ club group buyers
5. Project installers

Working with us, you may enjoy:

1. Competitive prices among same level quality treadmills.
2. High quality assured: We only use high quality material+ high accurate craftsmanship+ strict inspection standard, most products with CE, EN957, RoHS certificates.
3. Worry-free after-sale service: We have 7 International sales and 3 after-sale service team, all are professional.
4. Highly-protected package: All our package and container loading has been strictly tested. No damage happened.
5. Very good market protect once you become our distributors/ sole agent.
6. Fast delivery+ large production capacity.
7. OEM order can be accepted with small MOQ.

Lijiujia always wants to build win-win cooperation with customers all over the world.
We do hope that we are not only your product supplier, but also good partner and friend in the near future!
Contact us now, we` re always here to serve you better!

Saudi Branch

Dubai Branch

CERTIFICATION

SHOW ROOM

WORK SHOP

BSCI SGS EN957 RoHS CE ISO9001:2008



MOTORIZED TREADMILL

Mr.Luyisr

Senior designer

1957 born in Frankfurt am Main

1980 graduated from the State Academy of Art & Design Stuttgart

1985 further studied at the University of Stuttgart and acquired the master degree of Electronic Information Technology

1986 to 2005 worked at Siemens Aktiengesellschaft

2006 to present works as the product design consultant of Zhejiang Lijiujia Sports Equipment Co.,Ltd and focuses on the area of product design and development of smart treadmills.

Semi Commercial Treadmill

http://www.lijiujia.com

Option model: L580S/L580DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
7"LCD/7"/10.1"/ 13.3"/14.1"/15.6" TFT display
Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.
6. Multi-function (Massager,Sit-up,Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 2040x925x1380 mm

20GP: 32 PCS 40HQ: 74 PCS

Using the date	
rec.max. user weight	150 kg
motor power	3.5 HP (DC AC option)
speed	1.0-20 km/h
Incline	Auto 0-15%
running surface	580x1450 mm
monitor	LCD/TFT
G.W/N.W	L580S: 111/ 95 kg L580DS: 122/106 kg
carton size	2070x970x440 mm

Automatic refueling System

Oil Pressure Shock Reducing Springs

Semi Commercial Treadmill

http://www.lijiujia.com

Option model: L560S/L560DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
7"LCD/7"/10.1"/ 13.3" TFT display
Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.
6. Multi-function (Massager,Sit-up,Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 2040x925x1380 mm

20GP: 32 PCS 40HQ: 74 PCS

Using the date	
rec.max. user weight	150 kg
motor power	3.5 HP (DC AC option)
speed	1.0-20 km/h
Incline	Auto 0-15%
running surface	580x1450 mm
monitor	LCD/TFT
G.W/N.W	L560S: 115/ 99 kg L560DS: 126/110 kg
carton size	2070x970x440 mm

Automatic refueling System

Oil Pressure Shock Reducing Springs

TREADMILL SERIES

Option model: L520S/L520DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
7"/10.1"/ 13.3"/15.6"/18.5" TFT display
Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.
6. Multi-function (Massager,Sit-up,Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1985x855x1500 mm

20GP: 30 PCS 40HQ: 78 PCS

Using the date	
rec.max. user weight	140 kg
motor power	3.0 HP (DC AC option)
speed	1.0-18 km/h
Incline	Auto 0-15%
running surface	520x1400 mm
monitor	TFT
G.W/N.W	L520S: 105/ 90 kg L520DS: 115/100 kg
carton size	1980x900x410 mm

Automatic refueling System

Oil Pressure Shock Reducing Springs

Option model: L680AS/L680ADS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
7"LCD/7"/10.1"/15.6" TFT display
Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.
6. Multi-function (Massager,Sit-up,Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 2100x830x1370 mm

20GP: 42 PCS 40HQ: 98 PCS

Using the date	
rec.max. user weight	140 kg
motor power	3.0 HP (DC AC option)
speed	1.0-18 km/h
Incline	Auto 0-15%
running surface	480x1350 mm
monitor	LCD/TFT
G.W/N.W	L680AS: 95/85 kg L680ADS: 105/95 kg
carton size	1910x860x390 mm

Automatic refueling System

Oil Pressure Shock Reducing Springs

Semi Commercial Treadmill

http://www.lijiujia.com

Option model: L680S/L680DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
7"LCD/7"/10.1"/15.6" TFT display
Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.
6. Multi-function (Massager,Sit-up,Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1930x830x1430 mm

20GP: 44 PCS 40HQ: 111 PCS

Using the date	
rec.max. user weight	140 kg
motor power	3.0 HP (DC AC option)
speed	1.0-18 km/h
Incline	Auto 0-15%
running surface	480x1350 mm
monitor	LCD/TFT
G.W/N.W	L680S: 95/85 kg L680DS: 105/95 kg
carton size	1870x860x370 mm

Omni-directional Moving Wheels

Unique CEMTS8 Shock Reducing System

Semi Commercial Treadmill

http://www.lijiujia.com

Option model: L6088S/L6088DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
5.5"LCD/7"LCD/7" TFT display
Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation
2. AUX, USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 2100x830x1370 mm

20GP: 45 PCS 40HQ: 103 PCS

Using the date	
rec.max. user weight	140 kg
motor power	3.0 HP (DC AC option)
speed	1.0-20 km/h
Incline	Auto 0-15%
running surface	480x1350 mm
monitor	LCD/TFT
G.W/N.W	L6088S: 86/76 kg L6088DS: 96/86 kg
carton size	1870x820x420 mm

Omni-directional Moving Wheels

Unique CEMTS8 Shock Reducing System

Home Use Treadmill

http://www.lijiujia.com

Option model: L650S/L650DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
5"LCD/7"/10.1"/ 14.1"/15.6" TFT display
Time,Speed,Distance, Calorie,Pulse,
Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.
6. Multi-function (Massager,Sit-up,Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1780x805x1345mm

20GP: 38PCS 40HQ: 96 PCS

Using the date	
rec.max. user weight	130 kg
motor power	2.5 HP (DC AC option)
speed	1.0-16.0 km/h
Incline	Auto 0-15%
running surface	460x1300 mm
monitor	LCD/TFT
G.W/N.W	L650S: 87/74 kg L650DS: 95/82 kg
carton size	1830x850x400 mm

NEW ARRIVAL

Automatic refueling System

Oil Pressure Shock Reducing Springs

Home Use Treadmill

http://www.lijiujia.com

Option model: L109/L109D/L109S/L109DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
LCD display,Time,Speed,Distance, Calorie,Pulse,
Fat measure.

Feature:
1. 1. Easy Installation
2. AUX, USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1740x730x1300 mm

20GP: 62 PCS 40HQ: 162 PCS
20GP: 74 PCS 40HQ: 174 PCS

Using the date	
rec.max. user weight	120 kg
motor power	2.0 HP (DC AC option)
speed	0.8-16 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	460x1240 mm
monitor	LCD
G.W/N.W	L109S: 75/67 kg L109DS: 82/73 kg
carton size	1690x790x320 mm 1690x790x290 mm

Convenient Lift Handle



Unique CEMTS8 Shock Reducing System

Home Use Treadmill

http://www.lijiujia.com

Option model: S900S/S900DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
LCD/7" TFT display,Time,Speed,Distance, Calorie, Pulse,Fat measure.

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Stylish and safe design of comprehensively wrapped edges
5. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1710x720x1290 mm

20GP: 66 PCS 40HQ: 135 PCS

Using the date	
rec.max. user weight	120 kg
motor power	2.0 HP (DC AC option)
speed	0.8-16 km/h
Incline	Auto 0-15%
running surface	460x1260 mm
monitor	LCD/TFT
G.W/N.W	S900S: 74/66 kg S900DS: 82/74 kg
carton size	1780x760x350 mm

Oil Pressure Shock Reducing Springs

Double Tube Automatic Lubrication System

Home Use Treadmill

http://www.lijiujia.com

Option model: S800S/S800DS (AC)

D:(Multi-function) S:(Auto incline) AC:(AC Motor)

Console:
LCD/7" TFT, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1740x720x1310 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	120 kg
motor power	2.0 HP (DC AC option)
speed	0.8-16 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	450x1260 mm
monitor	LCD/TFT
G.W/N.W	S800S: 71/62 kg S800DS: 81/72 kg
carton size	1690x760x325 mm

4 Stereo Speakers

Comfortable Commercial Soft Handle

Home Use Treadmill

http://www.lijiujia.com

Option model: S600/S600D/S600S/S600DS

D:(Multi-function) S:(Auto incline)

Console:
LCD/7" TFT display,Time,Speed,Distance, Calorie, Pulse,Fat measure.

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Stylish and safe design of comprehensively wrapped edges
5. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1700x710x1250 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-16 km/h
Incline	No/Auto 0-15%
running surface	450x1210 mm
monitor	LCD/TFT
G.W/N.W	S600: 65/57 kg S600D: 73/65 kg
carton size	1690x760x325 mm

Aero Shock Roducing Wheel

Double Tube Automatic Lubrication System

Home Use Treadmill

http://www.lijiujia.com

Option model: L6069S/L6069DS

D:(Multi-function) S:(Auto incline)

Console:
LCD/7" TFT, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1740x720x1300 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	120 kg
motor power	2.0 HP
speed	0.8-16 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	450x1260 mm
monitor	LCD/TFT
G.W/N.W	L6069S: 70/60 kg L6069DS: 78/68 kg
carton size	1690x760x325 mm

Unique CEMTS8 Shock Reducing System

Skid Proof Safe Pedal

Home Use Treadmill

http://www.lijiujia.com

Option model: L6068S/L6068DS

D:(Multi-function) S:(Auto incline)

Console:
LCD/7" TFT display,Time,Speed,Distance, Calorie, Pulse,Fat measure.

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1740x730x1300 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	120 kg
motor power	2.0 HP
speed	0.8-16 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	450x1260 mm
monitor	LCD/TFT
G.W/N.W	L6068S: 70/60 kg L6068DS: 78/68 kg
carton size	1690x760x325 mm

Unique CEMTS8 Shock Reducing System

Skid Proof Safe Pedal

TREADMILL SERIES

Home Use Treadmill

http://www.lijiujia.com

Option model: L968A/L968AD

D:(Multi-function)

Console:
LCD/7" TFT display, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Stylish and safe design of comprehensively wrapped edges
5. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1700x710x1250 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-16 km/h
Incline	No
running surface	450x1210 mm
monitor	LCD/TFT
G.W/N.W	L968A: 63/53 kg L968AD: 71/61 kg
carton size	1690x740x325 mm

Aero Shock Roducing Wheel



Double Tube Automatic Lubrication System

Home Use Treadmill

http://www.lijiujia.com

Option model: L968C/L968CD

D:(Multi-function)

Console:
LCD/7" TFT display, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Stylish and safe design of comp-rehensively wrapped edges.
5. Multi-function (Massager,Sit-up, Dumbbells) (Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1700x710x1250 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-16 km/h
Incline	6 levels manual Incline
running surface	450x1210 mm
monitor	LCD/TFT
G.W/N.W	L968C: 63/53 kg L968CD: 71/61 kg
carton size	1690x740x325 mm

Aero Shock Roducing Wheel

Double Tube Automatic Lubrication System

Home Use Treadmill

http://www.lijiujia.com

Option model: L9028/L9028D/L9028S/L9028DS

D:(Multi-function) S:(Auto incline)

Console:
LCD display,Time,Speed,Distance, Calorie,Pulse, Fat measure.

Feature:
1. Easy Installation
2. AUX, USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1560x700x1210 mm

20GP: 76 PCS 40HQ: 176 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% 3 levels manual Incline
running surface	420x1200 mm
monitor	LCD
G.W/N.W	L9028: 60/52 kg L9028D: 68/59 kg
carton size	1610x740x320 mm

Convenient Lift Handle

3 Levels of Manual Incline

Home Use Treadmill

http://www.lijiujia.com

Option model: L6028/L6028D/L6028S/L6028DS

D:(Multi-function) S:(Auto incline)

Console:
LCD display, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1700x710x1250 mm

6028 (20GP: 105 PCS 40HQ: 197 PCS)
6028D(20GP: 76 PCS 40HQ: 176 PCS)

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	420x1200 mm
monitor	LCD
G.W/N.W	L6028: 59/54 kg L6028D: 69/60 kg
carton size	1610x740x290 mm 1610x740x325 mm

Convenient Lift Handle

3 Levels of Manual Incline

TREADMILL SERIES

Home Use Treadmill

http://www.lijiujia.com

Option model: L828/L828D/L828S/L828DS

D:(Multi-function) S:(Auto incline)

Console:
LCD display,Time,Speed,Distance, Calorie,Pulse, Fat measure.

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1560x700x1210 mm

20GP: 76 PCS 40HQ: 176 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	420x1200 mm
monitor	LCD
G.W/N.W	L828S: 60/52 kg L828DS: 68/59 kg
carton size	1610x740x325 mm

Convenient Lift Handle

3 Levels of Manual Incline

Home Use Treadmill

http://www.lijiujia.com

Option model: L918/L918D/L918SS/L918DS

D:(Multi-function) S:(Auto incline)

Console:
LCD display, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 6 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1525x680x1270 mm

20GP: 82 PCS 40HQ: 192 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	420x1150 mm
monitor	LCD
G.W/N.W	L918: 54/46 kg L918D: 63/55 kg
carton size	1555x725x310 mm



Convenient Lift Handle

3 Levels of Manual Incline

Home Use Treadmill

http://www.lijiujia.com

Option model: L918C/L918CD

D:(Multi-function)

Console:
LCD display,Time,Speed,Distance, Calorie,Pulse, Fat measure.

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 8 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1615x680x1270 mm

20GP: 61 PCS 40HQ: 147 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	420x1240 mm
monitor	LCD
G.W/N.W	L918C: 59/51 kg L918CD: 68/60 kg
carton size	1670x725x350 mm

Aero Shock Roducing Wheel

Double Tube Automatic Lubrication System

Home Use Treadmill

http://www.lijiujia.com

Option model: L816/L816D/L816S/L816DS

D:(Multi-function) S:(Auto incline)

Console:
LCD display, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 6 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1525x680x1270 mm

20GP: 82 PCS 40HQ: 192 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	420x1150 mm
monitor	LCD
G.W/N.W	L816: 54/46 kg L816D: 63/55 kg
carton size	1555x725x325 mm

Convenient Lift Handle



3 Levels of Manual Incline

TREADMILL SERIES

Home Use Treadmill

http://www.lijiujia.com

Option model: L815/L815D/L815S/L815DS

D:(Multi-function) S:(Auto incline)

Console:
LCD display,Time,Speed,Distance, Calorie,Pulse, Fat measure.

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Double layer running board
5. 6 big shock absorbing springs
6. Multy-function (Massager, Sit-up,Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1530x685x1160 mm

20GP: 82 PCS 40HQ: 192 PCS

Using the date	
rec.max. user weight	100 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	Auto 0-15% (option) 3 levels manual Incline
running surface	420x1150 mm
monitor	LCD
G.W/N.W	L815: 54/46 kg L815D: 63/55 kg
carton size	1555x725x310 mm

Convenient Lift Handle



3 Levels of Manual Incline

Home Use Treadmill

http://www.lijiujia.com

Option model: L668A/L668AD

D:(Multi-function)

Console:
LCD/7" TFT display, Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy Installation
2. AUX，USB input
3. Foldable & movable
4. Stylish and safe design of comprehensively wrapped edges
5. Multy-function (Massager, Sit-up, Dumbbells) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1560x685x1160 mm

20GP: 70 PCS 40HQ: 163 PCS

Using the date	
rec.max. user weight	100 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	No
running surface	420x1150 mm
monitor	LCD/TFT
G.W/N.W	L668A: 58/50 kg L668AD: 66/58 kg
carton size	1580x725x350 mm

Aero Shock Roducing Wheel

Double Tube Automatic Lubrication System

Home Use Treadmill

http://www.lijiujia.com

Option model: T900C/T900CD/T900CS/T900CDS

D:(Multi-function) S:(Auto incline)

Console:
LED/5"LCD/7"/10.1"TFT display,Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation
2. AUX
3. Foldable & movable
4. Stylish and safe design of comprehensively wrapped edges
5. Multy-function (Massager, Sit-up) (Option)

Voltage: 220-240V～ Current: 50-60Hz
Assembly Size: 1620x700x1200 mm

20GP: 71 PCS 40HQ: 168 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	No/Auto 0-15%
running surface	430x1230 mm
monitor	LED/LCD/TFT
G.W/N.W	T900C: 58/50 kg T900CD: 68/60 kg
carton size	1690x740x325 mm

Home Use Treadmill

http://www.lijiujia.com

Option model: 620

Console:
Time, Speed, Distance, Calorie display.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Powerful noiseless motor,Supper shock reducing function.
5. Stylish and safe design of comprehensively wrapped edges.

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1580x720x1280 mm

20GP: 82 PCS 40HQ: 189 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14.8 km/h
Incline	No
running surface	420x1250 mm
monitor	LED
G.W/N.W	620: 50/43 kg
carton size	1670x760x285 mm

USB

Automatic refueling System

Home Use Treadmill

http://www.lijiujia.com

Option model: L630/L630D

D:(Multi-function)

Console:
LED/5"LCD/7" TFT display，Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Massager(Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1530x690x1240 mm

20GP: 113 PCS 40HQ: 277 PCS

Using the date	
rec.max. user weight	110 kg
motor power	1.5 HP
speed	0.8-14 km/h
Incline	3 levels manual Incline
running surface	420x1200 mm
monitor	LED/LCD/TFT
G.W/N.W	L630: 49/42 kg L630D: 54/47 kg
carton size	1660x760x200 mm

USB

Home Use Treadmill

http://www.lijiujia.com

Option model: L510/L510D

D:(Multi-function)

Console:
Time, Speed, Distance, Calorie, Pulse, Fat measure

Feature:
1. Easy installation
2. AUX input
3. Fordable & movable
4. Save space& affordable
5. Massage (option)

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1430x635x1065 mm

20GP: 125 PCS 40HQ: 293 PCS

Using the date	
rec.max. user weight	90 kg
motor power	1.0 HP
speed	1.0-10 km/h
Incline	No
running surface	400x1100 mm
monitor	LED
G.W/N.W	L510: 34/29 kg L510D: 39/33 kg
carton size	1440x670x240 mm

Home Use Treadmill

http://www.lijiujia.com

Option model: L510F/L510FD

D:(Multi-function)

Console:
Time, Speed, Distance, Calorie display.

Feature:
1. Easy installation
2. AUX input
3. Fordable & movable
4. Save space& affordable
5. Massage (option)

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1390x590x1050 mm

20GP: 125 PCS 40HQ: 293 PCS

Using the date	
rec.max. user weight	90 kg
motor power	1.0 HP
speed	1.0-10 km/h
Incline	No
running surface	400x1100 mm
monitor	LED
G.W/N.W	L510F: 34/29 kg L510FD: 39/33 kg
carton size	1440x670x240 mm

Home Use Treadmill

http://www.lijiujia.com

Option model: W501/W501D

D:(Multi-function)

Console:
LED/5"LCD/7" TFT display,Time,Speed,Distance, Calorie,Pulse,Fat measure.

Feature:
1. Easy Installation.
2. AUX,USB input.
3. Foldable & movable.
4. Save space.
5. Massager(Option).

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1430x635x1065 mm

20GP: 125 PCS 40HQ: 293 PCS

Using the date	
rec.max. user weight	90 kg
motor power	1.0 HP
speed	1.0-10 km/h
Incline	No
running surface	400x1100 mm
monitor	LED
G.W/N.W	501: 34/29 kg 501D: 39/33 kg
carton size	1440x670x240 mm

Home Use Treadmill

http://www.lijiujia.com

Option model: L350

Console:
Time, Speed, Distance, Calorie display.

Feature:
1. Easy installation
2. Fordable & movable
3. Save space& affordable

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1255x590x1170 mm

20GP: 146 PCS 40HQ: 333 PCS

Using the date	
rec.max. user weight	90 kg
motor power	1.0 HP
speed	1.0-10 km/h
Incline	No
running surface	350x1000 mm
monitor	LED
G.W/N.W	L350: 30/24 kg
carton size	1320x630x230 mm

TREADMILL SERIES

Home Use Treadmill

http://www.lijiujia.com

Option model: L510R

Console:
LED display,Time, Speed, Distance, Calorie.

Feature:
1. Easy installation
2. Movable
3. Save space& affordable

Voltage: 220-240V~ Current: 50-60Hz
Assembly Size: 1320x520x200 mm

20GP: 153PCS 40HQ: 345 PCS

Using the date	
rec.max. user weight	90 kg
motor power	1.0 HP
speed	1.0-7 km/h
Incline	No
running surface	400x1100 mm
monitor	LED
G.W/N.W	L510R: 27/22 kg
carton size	1380x585x225 mm

Spinning Bike

http://www.lijiujia.com

Option model: L001

Specification

Max Loading	130 kg	Braking Systems	Fleece Brake
Assembly Size	1160x500x950 mm	Adjust Resistance	Rotation Type
Carton Size	1050x260x830 mm	Fuction	1 LCD display,Time,Speed, Distance,Calories,Pulse.
N.W/G.W	30 / 33 kg	Handlebar	Foam
Flywheel	8 / 11 kg (Option)	Container loading:20/40/40``	130/260/300 PCS
Transmission mode	Belt		

DETAILS


1 Sit-up
2 Massage
3 Dumbbells
4 Twister
Unique portable lifting handle
Fold the machine without striking a blowing
level 1
level 2
level 3
Manual incline ajusting function
3 ajusting levels of 16 degree, which enables you to choose your own amount of exercise.
Base corner cover
Comfortable diamond pattern running belt with top quality
Aerial airtight roller
Turn designer's idea into user's healthy using experience
Cloud self balancing and shock absorbing system
Concealed self service oil adding system
8 big shock absorbing springs
Cloud self balancing & shock absorbing
Search for balance point automatically
Packing in Carton